



Expiration Date of Parex USA Products

Technical Bulletin

TB013

Category: Parex USA General

Keywords: Expiration Date, Shelf Life

PRODUCT	PRODUCT TYPE	SHELF LIFE (From manufacture date)	STORAGE CONDITIONS (Based on TDS)
<i>ELITE GROUT PRODUCTS</i>			
LG Sanded Grout	Powder	24 months	Store off the ground and protect from the weather
LG Unsanded Grout	Powder	24 months	Store off the ground and protect from the weather
Epoxy 100 Plus Grout	Part A&B and Aggregate	24 months	Store off the ground and protect from the weather
<i>ELITE SURFACE PREP PRODUCTS</i>			
Float Coat Levelling Mortar	Powder	15 months	Store off the ground and protect from the weather
Sand Mix Leveling Mortar	Powder	15 months	Store off the ground and protect from the weather
Glass Block Mortar	Powder	15 months	Store off the ground and protect from the weather
Fast Patch Underlayment	Powder	6 months	Must keep dry. Do not freeze or store in direct sunlight. Do not store in over 110F
Rapid Patch Underlayment	Powder	6 months	Must keep dry. Do not freeze or store in direct sunlight. Do not store in over 110F
Latex Patch Underlayment	Powder	15 months	Store off the ground and protect from the weather
Levelite SL	Powder	6 months	Must keep dry. Do not freeze or store in direct sunlight. Do not store in over 110F
Levelite Primer	Liquid	15 months	Do not freeze or store in direct sunlight. Do not store in over 110F

PRODUCT	PRODUCT TYPE	SHELF LIFE (From manufacture date)	STORAGE CONDITIONS (Based on TDS)
ELITE ADHESIVE PRODUCTS			
Floor Mix	Powder	15 months	Store off the ground and protect from the weather
Premium Mix	Powder	15 months	Store off the ground and protect from the weather
Premium Mix NonSanded	Powder	15 months	Store off the ground and protect from the weather
Probond	Powder	15 months	Store off the ground and protect from the weather
Flex Bed Mortar	Powder	15 months	Store off the ground and protect from the weather
Multiblend	Powder	15 months	Store off the ground and protect from the weather
Multipurpose Tile Adhesive	Liquid	15 months	Store off the ground and protect from the weather
Multipurpose HiFlex	Powder	15 months	Store off the ground and protect from the weather
Medium Bed Mortar	Powder	15 months	Store off the ground and protect from the weather
Fast Set Multipurpose Mix	Powder	6 months	Must keep dry. Do not freeze or store in direct sunlight. Do not store in over 110F
Flexelite	Powder	15 months	Store off the ground and protect from the weather
Elastelite	Powder	15 months	Store off the ground and protect from the weather
Elastoset Powder	Powder	6 months	Must keep dry. Do not freeze or store in direct sunlight. Do not store in over 110F
Elastoset Liquid	Liquid	15 months	Do not freeze or store in direct sunlight. Do not store in over 110F
Rubber Flex	Powder	6 months	Must keep dry. Do not freeze or store in direct sunlight. Do not store in over 110F
Rubber Flex Additive	Liquid	15 months	Do not freeze or store in direct sunlight. Do not store in over 110F
ELITE MEMBRANE PRODUCTS			
AquaGuard	Liquid	15 months	Do not freeze or store in direct sunlight. Do not store in over 110F
UltraProof 1000	Liquid/Powder	15 months	Do not freeze or store in direct sunlight. Do not store in over 110F
ELITE ADDITIVES/PRIMERS			
Latex Mortar Additive	Liquid	15 months	Do not freeze or store in direct sunlight. Do not store in over 110F
Hi-Flex Additive	Liquid	15 months	Do not freeze or store in direct sunlight. Do not store in over 110F

PRODUCT	PRODUCT TYPE	SHELF LIFE (From manufacture date)	STORAGE CONDITIONS (Based on TDS)
ELITE MISCELLANEOUS			
Tile and Grout Caulks	Liquid	24 months	Do not freeze or store in direct sunlight. Do not store in over 110F
Tile Seal Matte Finish	Liquid	15 months	Do not freeze or store in direct sunlight. Do not store in over 110F
Acryseal Floor Finish	Liquid	15 months	Do not freeze or store in direct sunlight. Do not store in over 110F
Seal-N-Shine Floor Finish	Liquid	15 months	Do not freeze or store in direct sunlight. Do not store in over 110F
Pro-Shield Penetrating Sealer	Liquid	15 months	Do not freeze or store in direct sunlight. Do not store in over 110F
Tile Guard penetrating Sealer	Liquid	15 months	Do not freeze or store in direct sunlight. Do not store in over 110F
Repel Penetrating Sealer	Liquid	15 months	Do not freeze or store in direct sunlight. Do not store in over 110F
Gypspray	Powder	6 months	Do not freeze or store in direct sunlight. Do not store in over 110F
Panelkote	Powder	6 months	Do not freeze or store in direct sunlight. Do not store in over 110F
Acrytex R	Liquid	15 months	Do not freeze or store in direct sunlight. Do not store in over 110F
Acrytex P Coarse	Liquid	15 months	Do not freeze or store in direct sunlight. Do not store in over 110F
Acrytex P Fine	Liquid	15 months	Do not freeze or store in direct sunlight. Do not store in over 110F
Acryl M	Liquid	15 months	Do not freeze or store in direct sunlight. Do not store in over 110F
Panelbond	Liquid	15 months	Do not freeze or store in direct sunlight. Do not store in over 110F
Grout Colorant	Liquid	15 months	Do not freeze or store in direct sunlight. Do not store in over 110F
Basic Tile Cleaner	Liquid	15 months	Do not freeze or store in direct sunlight. Do not store in over 110F
Pro-Stripper	Liquid	15 months	Do not freeze or store in direct sunlight. Do not store in over 110F

PRODUCT	PRODUCT TYPE	SHELF LIFE (From manufacture date)	STORAGE CONDITIONS (Based on TDS)
<i>EL REY EIFS PRODUCTS</i>			
Insul-Bond P	Powder	15 months	Store off the ground and protect from sun and moisture
Insul-Bond L	Liquid	15 months	Protect from sun and freezing at all times
Hard Guard Basecoat	Powder	15 months	Store off the ground and protect from sun and moisture
Flexible Basecoat	Liquid	15 months	Protect from heat and freezing at all times. Do not stack more than 3 pails high. Keep container closed when not in use.
Roll-on Weather Barrier	Liquid	15 months	Protect from heat and freezing at all times. Do not stack more than 3 pails high. Keep container closed when not in use.
Perma-Flex Colored Primer	Liquid	15 months	Protect from sun and freezing at all times
Perma-Flex Acrylic Stucco Finish	Liquid	15 months	Store in a sheltered area out of direct sunlight. Storage temperature: Max 120 F/49 C Min 40 F/5 C
Antiquing Spray	Liquid	15 months	Protect from sun and freezing at all times
Antiquing Gel	Liquid	15 months	Unopened, undamaged, original sealed pail that properly stored.
Liquid Colorant	Liquid	24 months	Protect from heat and freezing at all times. Keep container closed when not in use.
Perma-Flex Surface Sealer	Liquid	15 months	Protect from sun and freezing at all times
<i>EL REY STUCCO PRODUCTS</i>			
FastWall Concentrate	Powder	15 months	Store off ground and protect from weather
FastWall Sanded	Powder	15 months	Store off ground and protect from weather
Fiber 47	Powder	15 months	Store off ground and protect from weather
Premium Stucco Finish	Powder	15 months	Store off ground and protect from weather
Allegro Cement Coating	Powder	15 months	Store under cool, dry conditions. Avoid direct contact with the ground.
Crown Seal Stucco Protector	Liquid	15 months	Protect from heat and freezing at all times. Store in a cool area above 40 F/5 C and out of direct sunlight.
Superior Bond 100	Liquid	15 months	Protect from heat and heating at all times. Store in a cool area above 40F/5C and out of direct sunlight.
Superior Additive 200	Liquid	15 months	Protect from heat and freezing at all times. Store in a cool area above 40 F/5 C and out of direct sunlight.
Perma-Flex 400	Liquid	15 months	Protect from heat and freezing at all times. Store in a cool area above 40 F/5 C and out of direct sunlight.
WallEase Basecoat	Powder	15 months	Store off the ground and protect from sun and moisture
Stucco Cleaner	Powder	24 months	Protect from heat and freezing at all times

PRODUCT	PRODUCT TYPE	SHELF LIFE (From manufacture date)	STORAGE CONDITIONS (Based on TDS)
EL REY STUCCO PRODUCTS			
Fog Kote	Powder	15 months	Protect from moisture, keep off the ground. Keep container closed when not in use
Stucco Enhancer	Liquid	15 months	Protect from heat and freezing at all times. Store in a cool area above 40 F/5 C and out of direct sunlight.
Stucco Finish Patch	Powder	15 months	Keep protected from moisture
Super-Flex Liquid Admixture	Liquid	15 months	Protect from heat and freezing at all times. Store in a cool area above 40 F/5 C and out of direct sunlight.
Color Pack	Powder	Indefinite	Unopened, undamaged, original sealed bag that is properly transported and stored.
LAHABRA SPECIALTY PRODUCTS			
Poly Bond	Powder	15 months	Store off the ground and protect from the weather
Exterior Fast Patch	Powder	6 months	Store off the ground and protect from the weather
All-in-One	Powder	15 months	Store off the ground and protect from the weather
LAHABRA EXTERIOR PRODUCTS			
FastWall Concentrate	Powder	15 months	Store off the ground and protect from the weather
FastWall Sanded	Powder	15 months	Store off the ground and protect from the weather
Fiber 47 Concentrate	Powder	15 months	Store off the ground and protect from the weather
Fiber 47 Sanded	Powder	15 months	Store off the ground and protect from the weather
Fastwall Accel Cure	Powder	15 months	Store off the ground and protect from the weather
NTS Stucco	Powder	15 months	Stored under cool, dry conditions. Avoid direct contact with the ground
Platinum Plus Stucco Finish	Powder	15 months	Stored under cool, dry conditions. Avoid direct contact with the ground
Exterior Stucco Color Coat	Powder	15 months	Stored under cool, dry conditions. Avoid direct contact with the ground
Custom Package Color	Powder	24 months	Stored under cool, dry conditions. Avoid direct contact with the ground
Exterior Color Coat Patch	Powder	15 months	Stored under cool, dry conditions. Avoid direct contact with the ground
Allegro Cement Coating	Powder	15 months	Stored under cool, dry conditions. Avoid direct contact with the ground
SBMF	Powder	15 months	Stored under cool, dry conditions. Avoid direct contact with the ground
Fog Coat	Powder	15 months	Stored under cool, dry conditions. Avoid direct contact with the ground

PRODUCT	PRODUCT TYPE	SHELF LIFE (From manufacture date)	STORAGE CONDITIONS (Based on TDS)
LAHABRA EXTERIOR PRODUCTS			
Insulbond Wet	Liquid	15 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.
Insulbond Powder	Powder	15 months	Stored under cool, dry conditions. Avoid direct contact with the ground
Sheathing Adhesive	Liquid	15 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.
Acrylic Primer	Liquid	15 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.
Permaflox Stucco Only Finishes	Liquid	15 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.
Perma-Finish DPR Finishes	Liquid	15 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.
Perma-Elastic Finishes	Liquid	15 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.
Color Pack	Powder	Indefinite	Unopened, undamaged, original sealed bag that is properly transported and stored.
Liquid Color Bottles	Liquid	24 months	Protect from sun and freezing at all times.
MERKO PRIMERS & TOPCOATS			
MerKo Seal / Prep Seal	Liquid	15 months	Do not freeze or store on direct sunlight. Do not store in over 110F
ARC Emulsion	Liquid	6 months	Do not freeze or store on direct sunlight. Do not store in over 110F
MERKO UNDERLAYMENTS			
Underlayment-High Build 150 Emulsion	Liquid	15 months	Do not freeze or store on direct sunlight. Do not store in over 110F
Underlayment-High Build Filler / Standard Compound	Powder	15 months	Do not freeze or store on direct sunlight. Do not store in over 110F
Underlayment-Rapid Set Compound	Powder	6 months	Do not freeze or store on direct sunlight. Do not store in over 110F
Underlayment-Thin Slope Emulsion	Liquid	15 months	Do not freeze or store on direct sunlight. Do not store in over 110F
Underlayment-Thin Slope Filler	Powder	6 months	Do not freeze or store on direct sunlight. Do not store in over 110F
MERKO WATERPROOFING MEMBRANES			
ParexUSA BG Waterproofing Membrane	Liquid	15 months	Do not freeze or store on direct sunlight. Do not store in over 110F
Hydro Shield 380 Waterproofing Membrane	Liquid	15 months	Do not freeze or store on direct sunlight. Do not store in over 110F
Deck Waterproofing Membrane	Liquid	15 months	Do not freeze or store on direct sunlight. Do not store in over 110F

PRODUCT	PRODUCT TYPE	SHELF LIFE (From manufacture date)	STORAGE CONDITIONS (Based on TDS)
MERKO BODYCOATS PRODUCTS			
Shur Deck Compound	Powder	15 months	Do not freeze or store on direct sunlight. Do not store in over 110F
Weather Deck Bodycoat Powder	Powder	6 months	Do not freeze or store on direct sunlight. Do not store in over 110F
Weather Deck Emulsion	Liquid	6 months	Do not freeze or store on direct sunlight. Do not store in over 110F
Weather Deck Membrane Filler, Standard 90	Aggregate	6 months	Do not freeze or store on direct sunlight. Do not store in over 110F
MERKO DECORATIVE COATINGS			
Kona-Crete	Powder	15 months	Do not freeze or store on direct sunlight. Do not store in over 110F
Patterned Stone	Powder	15 months	Do not freeze or store on direct sunlight. Do not store in over 110F
Tumbled Marble	Powder	15 months	Do not freeze or store on direct sunlight. Do not store in over 110F
Admix 100	Liquid	15 months	Do not freeze or store on direct sunlight. Do not store in over 110F
Antiquing Gel	Liquid	15 months	Do not freeze or store on direct sunlight. Do not store in over 110F
MERKO POLYURETHANES			
Merthane 300 / 300SC / 300SF Part A & B	Liquid	15 months	Do not freeze or store on direct sunlight. Do not store in over 110F
Merthane 300G Fast Cure Clear	Liquid	15 months	Do not freeze or store on direct sunlight. Do not store in over 110F
Merthane 310 Topcoat	Liquid	15 months	Do not freeze or store on direct sunlight. Do not store in over 110F
Merthane 310SF Vehicular Basecoat & Topcoat	Liquid	15 months	Do not freeze or store on direct sunlight. Do not store in over 110F
Merthane 320 Horizontal	Liquid	15 months	Do not freeze or store on direct sunlight. Do not store in over 110F
Merthane 320 Vertical	Liquid	15 months	Do not freeze or store on direct sunlight. Do not store in over 110F
Merthane 330 Water-cured	Liquid	15 months	Do not freeze or store on direct sunlight. Do not store in over 110F
Merthane 500 Part A & B	Liquid	15 months	Do not freeze or store on direct sunlight. Do not store in over 110F

PRODUCT	PRODUCT TYPE	SHELF LIFE (From manufacture date)	STORAGE CONDITIONS (Based on TDS)
MERKRETE ADHESIVE PRODUCTS			
700 Premium Set	Powder	15 months	Store off the ground and protect from the weather
705 Proset Plus	Powder	15 months	Store off the ground and protect from the weather
710 Modified	Powder	15 months	Store off the ground and protect from the weather
7D10 Dustless	Powder	15 months	Store off the ground and protect from the weather
720 Medium Bed	Powder	15 months	Store off the ground and protect from the weather
720 Fast Set	Powder	15 months	Store off the ground and protect from the weather
735 Premium Flex	Powder	15 months	Store off the ground and protect from the weather
740 Extra Flex	Powder	15 months	Store off the ground and protect from the weather
750 Fast Set	Powder	6 months	Must keep dry. Do not freeze or store in direct sunlight. Do not store in over 110F
801 Self Curing	Powder	6 months	Must keep dry. Do not freeze or store in direct sunlight. Do not store in over 110F
808 Sound Control	Powder	15 months	Store off the ground and protect from the weather
820 Merlite	Powder	15 months	Store off the ground and protect from the weather
831 Water Resistant	Powder	15 months	Store off the ground and protect from the weather
855 XXL	Powder	15 months	Store off the ground and protect from the weather
856 XLF	Powder	15 months	Store off the ground and protect from the weather
211 Filler	Powder	15 months	Store off the ground and protect from the weather
Integra	Powder	15 months	Store off the ground and protect from the weather
Burst Accelerant	Powder	12 months	Store off the ground and protect from the weather
136 SureStik	Liquid	6 months	Do not freeze or store on direct sunlight; over 110F
MERKRETE GROUT PRODUCTS			
DURACOLOR Unsanded Grouts	Powder	24 months	Must keep dry. Do not freeze or store in direct sunlight. Do not store in over 110F
DURACOLOR Sanded Grouts	Powder	24 months	Must keep dry. Do not freeze or store in direct sunlight. Do not store in over 110F
Versatile	Powder	24 months	Must keep dry. Do not freeze or store in direct sunlight. Do not store in over 110F
Versatile XF	Powder	24 months	Must keep dry. Do not freeze or store in direct sunlight. Do not store in over 110F
ProGrout	Powder	12 months	Must keep dry. Do not freeze or store in direct sunlight. Do not store in over 110F
Epoxy Grout	Part A&B and Aggregate	24 months	Must keep dry. Do not freeze or store in direct sunlight. Do not store in over 110F
Paver Grouts	Powder	24 months	Must keep dry. Do not freeze or store in direct sunlight. Do not store in over 110F

PRODUCT	PRODUCT TYPE	SHELF LIFE (From manufacture date)	STORAGE CONDITIONS (Based on TDS)
MERKRETE SURFACE PREP PRODUCTS			
Pro Patch / Pro Patch Plus	Powder	12 months	Must keep dry. Do not freeze or store in direct sunlight. Do not store in over 110F
Pro Patch XF	Powder	6 months	Must keep dry. Do not freeze or store in direct sunlight. Do not store in over 110F
Pro Patch AL1	Powder	12 months	Must keep dry. Do not freeze or store in direct sunlight. Do not store in over 110F
Underlay C	Powder	15 months	Store off the ground and protect from the weather
Underlay L	Powder	15 months	Store off the ground and protect from the weather
Underlay M	Powder	15 months	Store off the ground and protect from the weather
Underlay RS	Powder	6 months	Must keep dry. Do not freeze or store in direct sunlight. Do not store in over 110F
Underlay SLU Gold	Powder	6 months	Must keep dry. Do not freeze or store in direct sunlight. Do not store in over 110F
Underlay SLU	Powder	6 months	Must keep dry. Do not freeze or store in direct sunlight. Do not store in over 110F
MERKRETE MEMBRANE PRODUCTS			
Hydroguard 2000	Liquid	15 months	Do not freeze or store in direct sunlight. Do not store in over 110F
Hydroguard One	Liquid	15 months	Do not freeze or store in direct sunlight. Do not store in over 110F
Fractureguard 5000	Liquid	15 months	Do not freeze or store in direct sunlight. Do not store in over 110F
Fractureguard 7000	Liquid	15 months	Do not freeze or store in direct sunlight. Do not store in over 110F
SP1	Liquid	15 months	Do not freeze or store in direct sunlight. Do not store in over 110F
Fractureguard Fast Dry	Liquid	15 months	Do not freeze or store in direct sunlight. Do not store in over 110F
BFP Mastic	Liquid	15 months	Do not freeze or store in direct sunlight. Do not store in over 110F
BFP Emulsion	Liquid	6 months	Do not freeze or store in direct sunlight. Do not store in over 110F
MERKRETE ADDITIVES/PRIMERS			
626 Primer	Liquid	6 months	Do not freeze or store in direct sunlight. Do not store in over 110F
PrepSeal	Liquid	15 months	Do not freeze or store in direct sunlight. Do not store in over 110F
PrepSeal PNS	Liquid	15 months	Do not freeze or store in direct sunlight. Do not store in over 110F
101 Overspray Primer	Liquid	15 months	Do not freeze or store in direct sunlight. Do not store in over 110F
SLU Primer	Liquid	15 months	Do not freeze or store in direct sunlight. Do not store in over 110F
150 Latex	Liquid	15 months	Do not freeze or store in direct sunlight. Do not store in over 110F
200 Latex	Liquid	15 months	Do not freeze or store in direct sunlight. Do not store in over 110F
442 Tuff Flex	Liquid	15 months	Do not freeze or store in direct sunlight. Do not store in over 110F

PRODUCT	PRODUCT TYPE	SHELF LIFE (From manufacture date)	STORAGE CONDITIONS (Based on TDS)
MERKRETE MISCELLANEOUS			
PUC 2000	Liquid	24 months	Do not freeze or store in direct sunlight. Do not store in over 110F
Colored Caulks	Liquid	24 months	Do not freeze or store in direct sunlight. Do not store in over 110F
Revive	Liquid	15 months	Do not freeze or store in direct sunlight. Do not store in over 110F
Grout Sealer	Liquid	15 months	Do not freeze or store in direct sunlight. Do not store in over 110F
PAREX EIFS PRODUCTS			
121 Basecoat & Adhesive	Liquid	15 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.
121 Wet Optimum Basecoat and Adhesive	Liquid	15 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.
121 Dry Basecoat & Adhesive	Powder	15 months	Store off the ground and protect from sun and moisture
121 Cool Base Basecoat & Adhesive	Powder	15 months	Store off the ground and protect from sun and moisture
121 HI Basecoat & Adhesive	Powder	15 months	Store off the ground and protect from sun and moisture
121 Optimum Dry Basecoat & Adhesive	Powder	15 months	Store off the ground and protect from sun and moisture
302 ABC-N1 Basecoat & Adhesive	Liquid	15 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.
303 Sheathing Adhesive	Liquid	15 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.
DPR Standard Acrylic Finishes	Liquid	15 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.
Optimum Finishes	Liquid	15 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.
DPR Aquasol Finishes	Liquid	15 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.
DPR Aquasol Coating	Liquid	15 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.
Image Smooth Finish	Liquid	15 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.
Plus Advantage Finishes	Liquid	15 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.
Siliconized Finishes	Liquid	15 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.
E-lastic / Ultra Finishes	Liquid	15 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.

PRODUCT	PRODUCT TYPE	SHELF LIFE (From manufacture date)	STORAGE CONDITIONS (Based on TDS)
PAREX STUCCO PRODUCTS			
202 Stucco Base Sanded Grey Couche	Powder	15 months	Store off the ground and protect from sun and moisture
210 Stucco Base Concentrate Grey Couche	Powder	15 months	Store off the ground and protect from sun and moisture
Fiber 47 Scratch & Brown	Powder	15 months	Store off the ground and protect from sun and moisture
EnRock FR 100 Liquid Admixture	Liquid	15 months	Protect from sun and frost at all times
EnRock Type F Base	Powder	15 months	Store off the ground and protect from sun and moisture
PAREXUSA MISCELLANEOUS			
Quick Base	Liquid	15 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.
Weatherseal Weatherdry	Liquid	15 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.
Weatherseal BG	Liquid	15 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.
Weatherseal Spray and Roll On	Liquid	15 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.
Weatherseal Trowel On with Gauging/without Gauging	Liquid	15 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.
Weatherseal SB	Powder	6 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.
WeatherBlock WBR	Liquid	15 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.
DPR Primer	Liquid	15 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.
DPR Coating	Liquid	15 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.
Elastomeric Coating	Liquid	15 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.
Accel-Pak	Powder	6 months	Protect from sun and freezing at all times.
Accel-Dry	Liquid	24 months	Protect from sun and freezing at all times.
Cerastone	Liquid	15 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.
Spraystone	Liquid	15 months	Protect from sun and freezing at all times.
Tuffstone Granite	Liquid	15 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.
Stucco Level Coat	Powder	15 months	Protect from sun and freezing at all times.
Dry Tex	Powder	15 months	Protect from sun and freezing at all times.

PRODUCT	PRODUCT TYPE	SHELF LIFE (From manufacture date)	STORAGE CONDITIONS (Based on TDS)
PAREXUSA MISCELLANEOUS			
Allegro II	Powder	15 months	Protect from sun and freezing at all times.
Adacryl	Liquid	15 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.
Clear Seal 600 / 610	Liquid	15 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.
Quik Cure	Liquid	15 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.
PrimeShield	Liquid	15 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.
Pro Clean	Powder	24 months	Protect from sun and freezing at all times.
Protect	Liquid	15 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.
MicaMax3	Liquid	15 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.
PAREXUSA LIQUID COLORS			
Liquid Colorants	Liquid	24 months	Protect from sun and freezing at all times.
NOVOC Liquid Colorant	Liquid	24 months	Protect from sun and freezing at all times.
TEIFS EIFS PRODUCTS			
Adheez	Liquid	15 months	Protect from sun and freezing at all times. Do not stack pails more than 3 pails high
TeifsBase Basecoat & Adhesive	Liquid	15 months	Protect from sun and freezing at all times. Do not stack pails more than 3 pails high
TeifsBase FR Fiber Reinforced Basecoat and Adhesive	Liquid	15 months	Protect from sun and freezing at all times. Do not stack pails more than 3 pails high
TeifsBase DB Basecoat & Adhesive	Powder	15 months	Store off the ground and protect from sun and moisture.
Structure Basecoat	Liquid	15 months	Protect from sun and freezing at all times. Do not stack pails more than 3 pails high
Staydry Basecoat and Adhesive	Liquid	15 months	Protect from sun and freezing at all times. Do not stack pails more than 3 pails high
DPR Acrylic Finishes	Liquid	15 months	Protect from sun and freezing at all times. Do not stack pails more than 3 pails high
TeifsFlex Premium Acrylic Finishes	Liquid	15 months	Protect from sun and freezing at all times. Do not stack pails more than 3 pails high
Teifslastic Elastomeric Exterior Coating	Liquid	15 months	Protect from sun and freezing at all times. Do not stack pails more than 3 pails high
Teifslastic Elastomeric Finishes	Liquid	15 months	Protect from sun and freezing at all times. Do not stack pails more than 3 pails high
Ultra Silicone Enhanced Finishes and Coatings	Liquid	15 months	Protect from sun and freezing at all times. Do not stack pails more than 3 pails high
Specialty Stone Finishes	Liquid	15 months	Protect from sun and freezing at all times. Do not stack pails more than 3 pails high

PRODUCT	PRODUCT TYPE	SHELF LIFE (From manufacture date)	STORAGE CONDITIONS (Based on TDS)
TEIFS STUCCO PRODUCTS			
One Coat Stucco	Powder	15 months	Store off the ground and protect from sun and moisture.
Sanded One Coat	Powder	15 months	Store off the ground and protect from sun and moisture.
Scratch & Brown	Powder	15 months	Store off the ground and protect from sun and moisture.
Sanded Scratch & Brown	Powder	15 months	Store off the ground and protect from sun and moisture.
TEIFS PAINTS PRODUCTS			
Paints Primer	Liquid	15 months	Protect from sun and freezing at all times. Do not stack pails more than 3 pails high
Paints	Liquid	15 months	Protect from sun and freezing at all times. Do not stack pails more than 3 pails high
VARIANCE SPECIALTY PRODUCTS			
Antiquing Gel	Liquid	15 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.
Admix 100	Liquid	15 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.
Venetian Plaster Topcoat	Liquid	15 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.
Venetian Plaster Matte	Liquid	15 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.
Venetian Plaster Matte Base	Liquid	15 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.
Tuscan Stucco	Liquid	15 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.
Stucco d'Raffinato	Liquid	15 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.
Metallic Coating	Liquid	15 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.
Aged Limestone	Powder	15 months	Store off the ground and protect from the weather
Amourplast	Powder	15 months	Store off the ground and protect from the weather

PRODUCT	PRODUCT TYPE	SHELF LIFE (From manufacture date)	STORAGE CONDITIONS (Based on TDS)
VARIANCE FINISHES			
Alto	Liquid	15 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.
Anciano	Liquid	15 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.
Arena	Liquid	15 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.
Armourfill	Liquid	15 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.
Armourtone Fine	Liquid	15 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.
Armourtone Sanded	Liquid	15 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.
Brio	Liquid	15 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.
Claro	Liquid	15 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.
Claro HP	Liquid	15 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.
Metallic Coating	Liquid	15 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.
Omnicoat Clear	Liquid	15 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.
Plastershield Gloss	Liquid	15 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.
Plastershield Satin	Liquid	15 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.
Solido	Liquid	15 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.
Tierra	Liquid	15 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.
Variprime	Liquid	15 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.
Variprime Sanded	Liquid	15 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.
Variseal Gloss	Liquid	15 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.
Variseal Flat	Liquid	15 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.
Varistain	Liquid	15 months	Protect from sun and freezing at all times. Do not stack more than 3 pails high.

PAREXUSA

PAREXUSA
www.parexusa.com

Corporate Office

Parex USA, Inc.
4125 E. La Palma Ave., Suite 250
Anaheim, CA 92807
(866) 516-0061
Tech Support: (800) 226-2424

Facilities

French Camp, CA
North Hollywood, CA
Riverside, CA
San Diego, CA
Colorado Springs, CO

Haines City, FL
Duluth, GA
Redan, GA
Albuquerque, NM
Allentown, PA
San Antonio, TX



PAREXUSA
SUSTAINABILITY